

Destiny adventures. In addition I feel it only fair to point out that there are some machine code programs I have been unable to convert for example programs that add commands to basic eg windows bash write PIG generator also not in commands and Peter Witte's *Quest Quest*.

All I ask for this service is the old acknowledgment of some thing for over the cost of the major categories, postage etc. and customers to realize that I can only do this in my spare time, so they will have to be here and not expect a fully working and tested program a week after I have received a Please enclose an assembly listing with all machine code pages too. I regret that I cannot protect this software.

Daniel J. Hoffmann
 Managing Director
 Director
 (415) 760-1000
 dhoffmann@paloalto.edu

Paul M. Hirsch
Executive Director
Harris-Walker Group
Chicago, Illinois 60611

Abstract

Hi! I wrote my letter to your letters page about errors in my *Annuaire* listing in November 88, a few years to my sorrow that I never further [corrected?] my mistakes. Hopefully it is not too late in the day following to me list of other events in my past. I would be grateful if you would do this for me. Thank you.

Yours faithfully
Paul Weldon
(Editor looks into envelope
holding bills and Editor
checks letter again. Nothing
but an expense of white paper.)

I forgot to mention the cat
measures were in my other
letter today. Sorry I forgot it in my
first.

The command was
800-435-2233
My apologies again.
Yours sincerely
David Swartzman

the marketing services of Atlantic of Hyannis (see dragon cover September 1988). The services were good. The price reasonable. Of two returns marked as far one has come back all good. Review I'll offer. Although a little uneasy but settled down after a few days. I would leave the question about recommending them.

University of
2000 Bristol Place
Leeds LS2 9JT
Manchester
M1 2PL

And several years later, Calverley, shortly after his 40th birthday, told his classmates at his reunion. His main area of free-education discipline, he learned, centered on the topic of "Plato's ring" and why a noble ruler's wife should sometimes be his mistress. "I only realize now," he says, "I wrote off a classical dissertation like that, which has remained not even slightly relevant. You just don't know what the US is doing through its 19th-century-style education."

and I judge some magazines justifying that color does make a difference. I choose to do it. I thought it best put that question and others from Q&A all in one, to represent a good balance. Apart from magazines, I am totally committed to finding our magazines will benefit up and down the country, which I would like to see in front of about 100,000 people in 2004.

Activities Support 80 pages, more. I've used this book with kids to the 4th grade. Most of the 1st and 2nd grade work is programming and it is fun writing the second's year and is still a great book.

[illegible][illegible]

So please don't turn Design User into a forum for one of those meaningless debates on which computers is best. The best computer is the one that you are making good use of at the time, and that's all for the time.

PSBT would be a great help to me if you could get any pre-published advertisements and would encourage everything and one big volume creating a little advantage for me within the magazine and I'll be glad to

1. **Author:** [Name]
 2. **Title:** [Title]
 3. **Journal:** [Journal Name]
 4. **Volume:** [Volume]
 5. **Issue:** [Issue]
 6. **Page:** [Page]

What prompted anger in keyboardists? Paul Gruber, editor-in-chief of the phrase Allen Advanced Constructors etc. are still making mediocre products in writing again was the one that did it. I regularly use computers manufactured by all those none of which I would regard as being mediocre products. Nor so I think that it is a willingness up for parting with my

It was an Armed and Dangerous
 situation, it's a very dangerous place.

WELL, I think "lets and frats" would be exempted from suspension entirely on the grounds that they are building their counterparts' consciousness. The rag is, after all, the one who is standing at the pile of headstones thinking why won't the do what I want? I agree about the PCMR. I had more space on my desk. I'd have you have sent me just off the building out control letters at the moment. I think of them. No more who about you, are you. Healer

Primesearch search party

It would appear that several errors have crept into the ForestWatch program in the November issue of Oregon Forest.

[illegible]

These data are being reported as preliminary results.

Learn the advanced secrets the
FBI uses to investigate
every case in America

LIVE 40 and 70 should each be represented by 10 to start (total value of 200) and 40 (200) 50. I deleted them since both the programs bring a new superfluous but I did not delete after all.

I apologise for any brief letters cluttering the pages of *Interim* and for the fact that I have not managed to visit them as often as I would like. I think that individual development is helped by the development of the village, so they may be easily motivated, but at the expense of being able to find a small, smaller range of resources. They are not the students of 19 any sort of Americans that say an African and will help us in East Africa.

I think you're overlooking the fact that *Chad* did this in an attempt to be another *Boyz n the City* (but a little difficult to be sure of the exact connection). The *Boyz* apparently did not have a sequel but - did I not tell you about the judges and how after when they shot *Chad* they were read *Boyz* names?

lol, this is already lame... why? I don't normally say things like "I've checked them out" but they're more like the *Boyz* or *Boyz* translation: "you're not like something and/or not doing it like they're not like they're not like their situation on this page." On the other hand I still see anything in 1992 which would make the producers want to have them and they are on the points which have different meanings of having them or what we say *Boyz*... Now we can see the judges with no *Boyz*... And what I want to see is *Boyz*... (and?)

I ink this
is alright

PDF GENERATED BY
www.pdfcrowd.com

For Pete's sake, Paul

NO I haven't forgotten to or made this day. I shall be so glad this next lot of boys to be in plenty of time for your January next decline (I'm finally overjoyed like the first couple) and as their mothers still in a day which I can depend on, and on the 2nd day before his birthday, and as I'm certainly his nephew and not his brother (as I'm not married for Peter) but having just returned and read both of the October issue the lesson was diverted away from progress and of his palatable parties, just long enough to make the fall.

What prompted Singer to boycott was Paul Gruber's column. The phrase "Amended Commodore" is an old sailing metaphor, and it was the one that did it. "I regularly use computers manufactured by all those firms at which I would regard as being mediocre products. Now do I think that it is a willingness up for parting with my money."

I use an Amended PCW primarily for word processing.

MAKE THE MOST OF YOUR DRAGON

With our great value hardware and software:

SOFTWARE FOR DRAGON 64

For Dragon64s (please state version)

MSBASIC (Microsoft Basic) £19.95
This MSBASIC is great with all ready made programs compared to the other versions. It's the only one that can be ported into BASIC, it's really easy to use. It's the only one that's the best.

Extra Utilities for MSBASIC 62

MSBASIC £19.95
Change basic to basic only (basic only) £19.95
MSBASIC only (MSBASIC only) £19.95

MSBASIC

MSBASIC only (MSBASIC only) £19.95

CONSTRUCT

Construct 64 (64) Construct 64 only (Construct 64 only) £19.95
Construct 64 only (Construct 64 only) £19.95

STRUCTURAL

Structural 64 (64) Structural 64 only (Structural 64 only) £19.95
Structural 64 only (Structural 64 only) £19.95

CONSTRUCT

Construct 64 (64) Construct 64 only (Construct 64 only) £19.95
Construct 64 only (Construct 64 only) £19.95

MSBASIC

MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95

MSBASIC

MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95

NEW! Accessories for MSBASIC

MSBASIC £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95

HARDWARE

MSBASIC £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95

MACGOWAN SOFTWARE

MSBASIC £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95

DISK SOFTWARE

MSBASIC £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95

MSBASIC only (MSBASIC only) £19.95

MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95
MSBASIC only (MSBASIC only) £19.95

HARRIS MICRO SOFTWARE

49 Alexandra Road, Hounslow, Middlesex, TW3 4HP Tel: (01) 570-8335

LAST June I typed in the names and addresses of nearly 2400 subscribers to Dragon User. This issue will go out to just 1450 subscribers.

In recent months, the flow of income from subscriptions has dwindled to a trickle. In particular, since the end of the postal strike, the take-up rate of renewal invoices has fallen from 60-65% to a mere 20%.

As a result, the money in the bank account is draining like bathwater. It has now reached the point where we will not be able to pay for a further issue.

In these circumstances, there is no possibility - and indeed very little point - in attempting to carry on. Therefore this issue of Dragon User will have to be the last.

Whether Dragon Publications will be able to continue in any form is at present unclear. Should any subscription income be left after creditors' claims have been met, I propose to donate it to the National Dragon Users Group so that the end of Dragon User does not further endanger the survival of the Dragon itself. I would

strongly urge all readers who have not already done so to subscribe to MDUG by writing to Paul Grade, 6 Newlands Road, Worthing, Sussex.

I'm sure that readers will wish to join me in expressing thanks to Helen Armstrong and the other contributors for their work over the last few months. I can only add my apologies to those who did renew, and who believed, as I did, that the Dragon community was still capable of supporting a professionally produced magazine. I am only sorry that this has not proved to be the case.

Yours sincerely,

Bob Harris

I am intending to pass on unpublished contributions to Dragon Update - anybody who has sent me an article and doesn't want it sent on, please drop us a line.

Helen

Helen

Second-saver for a fine tuned Dragon system

Program: ExpressOS 9
Equipment needed: Dragon 64 with the DragonPlus based operating system
Supplier: Compuserve Ltd, Wellesley Lane, London NW7 0EP (See also our monthly)
Price: £28.95.

A fair number of Dragon 64 owners have upgraded using the Compuserve DragonPlus (see the second thing to a DRK Dragon which costs) I suspect this was mainly to get the very clear 80 column display, which is a great improvement when using some software. Another bonus is the extra 64K of memory, which cannot however be accessed directly from BASIC. A recent issue of CU reviewed the software and Compuserve provided a special version of this which uses the 80 column display and can access the extra memory using a new POKE command. Apart from problems which appeared with the IBM/PS cartridges using this program, POKING is hardly an ideal way to use an extra 64K of memory.

A much better solution was to use the 64K as it is needed with either Plus or OS 9. The extra 64K of memory is used for miscellaneous file buffers and then the user copies the most often used commands from the system disk to the command Memoriser that Plus and OS 9 use almost the full 64K of the Dragon 64 for the programs they run and any operating commands such as format, copy and GPR are normally copied from the disk onto the 64K as required. This saves a lot of memory space the normal Dragon 64 disk together with DragonOS 9 takes about 30K, presumably away from the memorised 64K which can be addressed by the ROM chip. However, it does also describe operators considerably and uses the disk as a telephone when I first changed from my backed up tape recorder to make use of Commodore disks I purchased at the airport when leaving London for the first time. I must be the few people who take the few commands to load. Main and

Worms, makers Editor is never satisfied. The 1 megabyte leads to Progress.

The memoriser driver, available from Compuserve and others, enabled the commands to be organised into a memoriser, providing you had first copied them onto the card. A special startup file can enable this to be done automatically when BOOTing up, but this prolongs the booting around on the system disk during BOOT for at least a further minute, which can be annoying if you only want to use one of the commands. Also, Soft's Use lists a hard-to-the command you want to use as the only one not copied to the cardset.

More clever

The new ExpressOS 9 is a much cleverer answer. It uses an advanced cache buffering technique, only used on large and expensive micro's, to quote Compuserve. The idea is to keep automatically any command or program you use available which are stored on DragonPlus memory, so if you use it again later it will load instantly. Thus, the first time you load the word processor (Word) will take the normal loading time to info first, usually for non-responsiveness, but after you return to 5150 later, it loads some buffers less than half the time. This assumes you have not used so many other commands in between that you have exceeded the buffer memory in 64K. Not only is there a time saving but wear and tear on the discs is much reduced. Another clever feature is an option which enables you to store the disc directory track in the buffer. Since this is always accessed before any disc read or write and then saved into the buffer, the number of large files much long and many of the disc heads can be avoided whether they even on first load the access is quicker.

Now is worth buying solely to save a few seconds, and

are there any more? Compuserve described using the O compiler for a short program they took this second to compare to the normal 200 seconds another O compiler is too large for a 64 to fit in the cache at once so this is not a best case. If you are frequently using commands that access various sectors, whether The ExpressOS cache seems to be that a lot of your memory is permanently used by a module called XPR that you have to increase by both loading XPR and by calling a longer command called XP, and then the idea of loading the directory in memory can be dangerous to your disk health. Imagine what would happen if you changed disks and then tried to go to a command to run one using the buffer of the old one? I don't have to say, by the way, and so something like a hard disk problem if you change disks without clearing the memory first. The Advanced PCW (a software) won't let you do that - it performs a Disc Change automatically but it's slow with cache 64.

Compuserve have addressed the limitations by offering a number of safeguards. Using the command XPR when changing disks clears the buffer (but what if you forget?). The command XP=640 will delete entries according to the speed of drive 00 so the worst that can happen is that you get some funny results after changing disks. This command is recommended for the drive which contains your system disk if you have at least two drives. However, you will probably want to save quite the quality on your data disk, so this is not an option for the other drive.

Logic check

The command XP C tells the ExpressOS 9 to check logical sector error of the disk each time. This tells OS 9 if the disc has been changed, and if it is detected the directory cache will be rewritten. However, this means the drive always test

each one of each command and some of the time saving is lost. Also, logically, if you have disks having the same name it is recommended that the tape should verify. CLIP is used to immediately mark off your data using the system clock. CLIP uses the last six bytes on and for zero which are otherwise unused by OS 9. This means each disk needs a backup of storage. Sector zero checking is the default, which is switched off using the command XP -C.

The XP command has other alternatives. The parameter X=system ExpressOS 9 state X=command. After installation drive 00 will be state X=system. It displays the status of each drive or 0 displays the performance for the 100 in the system, one as it tells you how many disk accesses have been made and what percent again has been saved by the program. The counters are then reset by a number of commands XP does not reset them. There is a useful HELP program which lists XP 1 or XPR (both give a list of parameters and their uses).

The disc supplied contains four files: XP, CLIP, XP and a sample STARTUP file. XP may be copied into your command directory and you can do the same with XPR loading it before calling XP or include it in your boot file using OS9GEN. The startup file does the usual things, but also gets you into 80 columns, loads XPR and then calls XP with a number of parameters. These initiate Express without sector checking and enable sector checking on drive 0 (make drive 1 a read/write drive with sector error checking and disable Express on drive 2 and 3). Finally, the drive status is displayed. A 12 page list of instructions helps you clear information apart from a few obvious remarks.

Since Express is not compatible with use of the memoriser there is a warning message on loading XPR if the memoriser drivers are present in memory. This only works for the Compuserve ones, if you have the 64 driver (which has the ad-

Wordsearch

Place your answers in the Dragon User Wordsearch Department by the end of the month in the Wordsearch

WELCOME to the first Dragon Wordsearch! Now that the Twentieth Crossword is soon to arrive, I feel bound a worthy successor. All you have to do is find the words concealed, listed on the left, hidden across the Wordsearch grid. The letters circling when all have been located will spell out when re-arranged the name of a Dragon software title. Give 1000 OF ENGAGEMENT! (A224)

And what of the Twelfth Dragon Crossword, still working hard to avenge? It reports back to us, growing under the weight of its followers.

We have here Richard Crofts of Wellington, who would like anything in 3D; an individual almost anything at all; and A. C. C. of PAU Wilkes, who knows a lot of Backgammon.

The phrase is DISC INTERFACE

Send your answers to the First Dragon Wordsearch to Dragon User. The editor will return answers out of the Editor's hat. Something from the Mega-Brainless Box. The listing is what you'll see, the night is lucky.



BOLIVAR
CENT
CENTAVO
CENTIME

DEUTSCHMARK
DINAR
DIRHAM
DOLLAR

DRACHMA
ENCUDO
FEN
FORENT

FRANC
GREAT
KROCK
KRONA
KROGSHAND
LEU
MARK
MIL
PESETA
PESO
PENNIS
PIASTRE
POUND
RUPEE
SHELL
SKILLING
YEN
ZLOTY

Screening the Dragon

Radio amateur N J Cleaver lowers the noise threshold

The following information may be of some use to users of the Dragon, particularly radio amateurs, of which I am one.

I use the Dragon with a single disc drive and monitor together with a Tery FT-27HF transceiver to transmit and receive radio. I use the (RTTY) software supplied by Spectrum Software.

As a lot of readers will probably know the Dragon does not generate a substantial radio interference which can cause havoc when trying to receive weak RTTY links; in fact that was no exception.

I have tried several methods to eliminate this interference for example the use of screened leads to every piece of equipment, and the physical repositioning of computer/monitor and radio. This had some marginal success but was still plagued by the interference, directly related to the Dragon.

Having read articles about screening the inside of the computer, I decided that I would set about spraying the inside of the computer case with a conductive dust screening spray.

The Dragon case comes

apart very easily by the removal of the four screws located underneath the case. Next the printed circuit boards are removed by the removal of the screws at each corner of the boards. There are two ribbon cables connecting the keyboard to the main or sub-board and one connecting the power supply/ground regulator board to the main circuit board. Once the screws are removed all these boards can be lifted out of the case.

Next, the inside of the upper and lower parts of the case must be thoroughly cleaned and in no time the inside of both parts was spotless. After a short period of time followed the case to dry at the outside in the lower half of the case were covered over with tape to prevent assembly. A template was cut to the shape of the keyboard layout and fixed in place. The final thing to do before spraying is to render a small length of wire to a small square of Veroboard and to stick the Veroboard to the inside of the case above the position of the power supply board. This will enable earthing of the

inside of the case after the spraying has been completed.

The actual spraying part is the easiest and only took a couple of minutes. To prevent over-spray I used a large piece of 1/2 inch lead against the edges of the case. The Veroboard (but not the wire) must be sprayed over too. The actual spray time is about ten to fifteen minutes.

When reconstructing the Dragon you must ensure that only (if possible) parts of the circuit (if any) come into contact with the case. Theoretically one part of the Dragon keyboard which actually touches the case, that being the left hand case support. This support can easily be screened down if needed, or to prevent any short circuits.

To seal the inside of the case I connected the wire that was soldered to the Veroboard to an earth point on the power supply. This effectively earths the inside of the case. I cannot stress how important it is to check that there is a part of the wiring in the circuit board touching the case. Having connected the wire, the case can be reassembled. The upper half has enough into the lower

half making a neat perfect earth shield around the circuitry. The shielding cannot be made 100% perfect, as there are outputs for joystick/printed cassette ports etc.

When reconstructed in my transceiver, the results were very pleasing. A very large reduction in computer generated noise was immediately noticeable. Now many more weak stations can be received than before. The problem of TV generated noise from the timebase generator still exists but is only a minor problem compared to the noise Dragon.

I must state that the Dragon User cannot be held responsible for any accidents or damage that may result anyone attempting the modification. The noise screening spray can be obtained from Magnet Electronics part no. 100001 page 488 in the current catalogue.

I would like to add a closing that I very much appreciate Dragon User letting every single one who subscribes (started) and I usually find something in every issue that is of interest.

Introduction to Dynacalc

JB Slinger introduces the spreadsheet package Dynacalc.

THERE was a request in the July issue of *Dragon* for someone to write about *Dynacalc*. *Dynacalc* is a spreadsheet package. A spreadsheet is a table with lots of boxes, called cells, arranged in rows and columns. A spreadsheet package is a computerised version which has been partially pre-programmed. In use, a user completes the programming to suit the particular need of the moment. Putting it another way, a spreadsheet package is another high-level language or program, any tedious calculations I could have used that at the time but didn't for the reason that spreadsheet packages are always described as potentially purchasing in such a way as to minimise the programming aspect. Quite senior managers write or build computer spreadsheets which they would not do if they thought of the activity as programming! (This is a bit true. At first business executives wouldn't use computers because they thought it was typing. That's how the language was high level so the programming is minimal as well as easy.)

Locked in cells

The programming consists of typing items into the various cells. The items may be text, or figures, or expressions (formulas). The first two are self-explanatory: sentences and prose in terms of cell references (rather than variables but I'll use words without comment by any fixed programmer). Thus a cell which contains `+400184` will contain the product of the contents of the two cells known as B3 and B4. Note that if the contents of either of these cells is changed the computer spreadsheet will instantly recalculate to show the new product. In addition there are a great number of pre-programmed functions for reference (e.g. `SQR()`) which will evaluate frequently used expressions in the brackets. Traditionally cell references are given with the convention that a capital letter is used to denote the column and a figure used to denote the cell B3 would be the second cell from the left and 3 rows down.

At this point it is worthwhile to introduce the word *worksheet* to describe a computer spreadsheet. This is common jargon and obviously any possibility of confusion between paper spreadsheet and a computer one.

As an example of a worksheet look at *linking two*. The meaning of each cell will be obvious although the overall objective may be obscure. So before describing the programming, I shall digress to explain the objective which is to solve Gordon Lee's dog-eaten puzzle.

Briefly the *dog-eaten puzzle* is to find a vulgar fraction which is a close approx-

imation to the fourth power of π (the circular constant). From the vulgar fraction we had to produce an approximate value for π which I left off. Indeed π in deference to be then who discovered the approximation, indeed π had to be accurate enough to give an error of less than 1 inch in the circumference of the earth when compared with the value calculated from the accepted value of π . I chose to set up my worksheet to follow the assessment of the problem. For further explanation on the worksheet a method given in *linking two* of the same method, see *linking two*. The design of the worksheet in the *Dragon* files is barely adequate for the problem but the method should be clear enough. I calculate the circumference of the earth in inches and hence the circumference of the earth in lines 30 and 40. I also calculate the 4th power of π . This has to be converted to a vulgar fraction by trial and error. I multiplied the value of the 4th power of π by various trial integers (trial denominators) and rounded off the products to trial integer numerators (see lines 70 and 80). Each numerator/denominator pair was then converted to a trial value of inches π and the trial circumference was calculated and compared with the true value. I used the same method in the worksheet except that the trial denominators were put into cell B1 individually. Because *Dynacalc* is accurate to 15 significant digits, the procedure gave an acceptable value for inches π and the vulgar fraction.

How to return to the mechanics for programming the worksheet. It was Row 10 I have to load the operating system and then load *Dynacalc*. Actually I do both at the same time since *Dynacalc* does have the operating system on it as well and I wrote a startup file to load the package automatically when loaded. *Dynacalc* displays an empty worksheet with the default column width of 3 characters. This is OK for most purposes but I decided that 26 characters wide would be more appropriate for my present purpose so I had to change it. This was done by typing `JAWW000000`. The slash key (/) signifies that I want to type a command. The A means that I want to change an attribute of the worksheet: the first W signifies that I want to alter a window (*Dynacalc* has windows), and the second W that I want to alter the width. There is a question then asking me where any characters end and the figure 26 is the answer. Entering information into the worksheet is simply by point and click with the cursor keys, typing the entry and pressing Enter. The contents of the entry cell are used in an expression in another cell. In the worksheet I used a formula to calculate π which reflected the change. Magic!

Well not quite magic because there are a few subtleties. The first one is that certain formulae only need to be evaluated once

For example in *linking one* and *two*, the denominator of the circumference and the 4th power of π are really calculated constants. I chose to leave these as formulae for the purposes of this article, but in a real situation, to save memory and for speed of recalculation, I would want to evaluate them once and for all time. This can be done by entering the expression for the circumference in the form `"=20*1500/25000"`.

Exclaim and vanish

The exclamation mark causes the formula to be evaluated (and to disappear) and then pressing the Enter key stores the result in the cell. The second subtlety is that recalculation of a worksheet follows a definite order: if it is by columns or by row selected by `ACD` for column-wise or `ADCR` for row-wise recalculation. Whichever is selected, the worksheet recalculates from the top left cell. Any if any cell has a reference to a cell which has not yet been recalculated the cell will not recalculate correctly. There are at least three forward references here to be used, such as where one is doing an iterative calculation, but one should try to avoid forward references if at all possible. If there are forward references, one can cause recalculation by pressing the exclamation mark several times until the values update. The third subtlety is my own. *Linking one* is the natural order of the formulae. However, I prefer to build a worksheet in the order of *linking two*. You can switch between the two formats with a toggle command `W0`. There is supposed to be a way to force some cells in formula mode and some in value mode but I have not found it, also there is a supposed to be a way to protect certain cells to prevent inadvertent corruption of a work sheet and I have not found that either. Both of these features are desirable so it is an entry to create a worksheet as it is to build a. Pay attention to this if you build a worksheet for someone else to use.

Good presentation

I should now like to reverse the advantages of using a worksheet. I have already mentioned the 15 digit precision. It is quick to set up a worksheet, the specimen probably took less time than reading this article. It tells you, it is easy to get a good presentation of a calculation. It is, however, it is a tedious task to find the method and the results all in one table for a research paper. Irrespective of the calculation, it is now someone who uses a worksheet sample because it is the quickest way to type a table but time is

is money!) There is a subsetting graphics feature which might be useful. If you have figures in a wide column, JWP will convert the figures into a horizontal bar chart with a hash sign for every integer value. As operators given as listing four. There are many built-in functions, see **listing five**. Note I have only listed those used in this article. There are sorting and copying functions too. There are extremely useful in programming a worksheet. I am preparing another article in which they will

be demonstrated. It is not necessary to type similar formulas into scores of cells. There is a definite art in using worksheets: what to do, is usually obvious, but there is a substantial amount of know-how involved in doing it with the minimum of fuss. For this reason I am gratified to advise anyone who is seriously interested in this article to read a good book. There is a strong family resemblance between Dynacalc and the most successful spreadsheet package, Lotus 1-2-3. There are

books about the latter. I have the first and second (and 123 published by the Lotus Corporation). They borrow a little from a library.

I am writing formally to request questions of anyone eager to write to the, my address is: IT Technician, Types Green, High Wycombe, Bucks HP12 3BW. Next month, for the latter, I hope to contribute a simple example of how to construct a worksheet.

LISTING 1: FIGURES

2-8-88

PAGE

1

DENOMINATOR

22

PI

3.141592653589793

DIMETER IN INCHES

38.111288

REAL CIRCUIT

1508488378.488678

.4TH POWER OF PI

99.4888818948874

ROUND 100

2145.88888748887

NUMBER100

2145

INCHES PI

3.141592653589793

DIFF OF CIRCLES

.888888778877887

LISTING 2: FORMULAE

2-8-88

PAGE

1

DENOMINATOR

22

PI

3.141592653589793

DIMETER IN INCHES

38.111288

REAL CIRCUIT

1508488

.4TH POWER OF PI

99.488881893

ROUND 100

2145.88888

NUMBER100

2145.88888

INCHES PI

3.141592653589793

DIFF OF CIRCLES

88.88888888

LISTING 3: BASIC PROG

2-8-88

PAGE

1

1 0

2 00

3 000

4 0000

5 000000

6 00000000

7 0000000000

8 000000000000

9 00000000000000

0 0000000000000000

1 000000000000000000

2 00000000000000000000

3 0000000000000000000000

4 000000000000000000000000

5 00000000000000000000000000

6 0000000000000000000000000000

7 000000000000000000000000000000

8 00000000000000000000000000000000

9 0000000000000000000000000000000000

0 000000000000000000000000000000000000

1 00000000000000000000000000000000000000

```
10 PRINT#5, LISTING 3: BASIC PROG
11 PRINT#5, CALCULATION OF ENDING PI
12 PRINT#5,
13 PRINT#5, "DENOMINATOR DIFFERENCE
14 PI = 3.141592653589793
15 GJ = (3.141592653589793) * DIMETER
16 CH = PI * CIRCUM IN INCHES
17 PI = PI * PI * PI * PI
18 FOR DE = 10 TO 25 "DENOMINATOR
19 N = PI * DE
20 HU = (PI * N) * PI
21 IF = (SQRT(HU * DE)) * (INCHES PI)
22 DE * CH * (1/PI) * "DIFFERENCE
23 PRINT #2, DE, " ", HU, " ", IF
24 NEXT
```

LISTING 4: BASIC PROG

CALCULATION OF INCHES PI

```
DENOMINATOR DIFFERENCE
15 1451 38285.5
16 1558 -114552
17 1658 -19818.5
18 1753 81745.5
19 1851 -49154
20 1948 38285.5
21 2045 -78813.5
22 2143 -.5
23 2242 71871
24 2339 -38858.5
25 2435 38285.5
```

LISTING 3

1. Arithmetic type Functions

ABS ()	Absolute Value, as in Basic
ACOS ()	Cosine, as in Basic
ASIN ()	Sine, as in Basic
ATAN ()	Tangent, as in Basic
AVERAGE (list)	The mean value of numeric cells in the list
COUNT (list)	Number of numeric items in list
EXP ()	Natural logarithm, as in Basic
INT ()	Integer value, as in Basic
LOG ()	Log. to base 10
MAX (list)	Returns the largest or smallest value from the list
NPV (list)	Net Present Value of items in list
	Used in financial work
PI	The circular constant
RAND ()	Random number generator
ROUND (d,n)	Rounds off figure n to a degree specified by d which is a power of 10. Note alters the number as opposed to its appearance
SQRT ()	Square root, as in Basic
STDEV (list)	Standard deviation of numeric items in list
SUM (list)	Sum of numeric items in list

2. Lookup type functions

CHOOSE (n,list)	Chooses nth item from list. "n" is usually the contents of a cell
INDEX (n,list,s)	Lookup function based on exact matches between n and an item in the list; returns item offset from the matched item into column or row s
LOOKUP (n,list,s)	Very similar to INDEX but based on greater than test

3. Logic type Functions

AND (list)	Returns true if all are true
ERROR (items)	Returns true if 1 is true
ERROR	Forces logical "error".
IF (test,true,false)	Returns contents of true cell or of false cell depending upon whether test cell is true
ISERROR (cell)	Test if cell has logical "error"
ISNA (cell)	Test if cell is empty
NA	Forces logical "not available"
OR (list)	True if 1 or more are true
FALSE	Returns logical "false"
NOT (item)	Reverses truth value
TRUE	Returns logical "true"

Dynacalc by J B Slinger

Basic Monitor

Craig Henderson gets inside his Dragon's memory and operates

THE Monitor program was written and run in examining the contents of my computer's memory and performing various tests on it. I am very new to Machine Code and I own Adapters from Discussion Software. Although I had a monitor I found it was very tedious to read the whole listing each time I made a mistake so only the monitor so I decided to

I realize that Peter Winkler published a review written in machine-code in May 1987, but I find one written in Basic more convenient for only to type it but to leave more memory space for the machine code which is the subject of your investigation, and it is quicker to *Ctrl-C* off messages.

When you start you will get a title page and then you'll be asked if you want to load some interactive C code off customs. After that you will be asked the width of your printer and then go into the main program. If you have not got a printer then just enter 0 in the width

operations which are called from the main menu by pressing the appropriate key (the ones shown in brackets) are:

- (A) Examine memory with auto-cursor
- (C) Copy a block of memory
- (D) Store key page (block) of memory
- (E) End program
- (M) Modify block of memory
- (O) Output hex dump
- (P) Place into location
- (V) Verify block of memory
- (X) Examine memory with auto-cursor. You will be asked to enter the start address as well as the number and the auto-will display bytes. The speed of it can be altered by pressing keys 0-9 as a page, 0-9 (times) and all others in between respectively.

When you enter the mode there will be 2-digs hex decimal values on the left side to the address and on the right are the corresponding ASCII characters. These characters can be made to disappear and re-appear by the pressing of (W). To quit the routine and return to the main menu press (Q).

(2) Copy of a block of memory. On calling this routine you will be prompted for the user

and addresses of the block to be copied, followed by the start address to be copied to. A limit of 1000 bytes is a reasonable size for routine copying. Then simply if you selected the routine, randomly enter the start and end addresses and to same value and you will return back to the menu. (3) Display block of memory with the address of the file in the top left hand corner of the screen displayed. The address of the block can be changed by pressing the UP and DOWN arrow keys. (4) End program has no choice the whether you can save or not in case if you have a safe copy on tape or disc. (5) Memory block. You are first asked for the start and end addresses and then if the same value is accepted it will be occasioned for the block. (6) Then you enter the value and the computer will do the rest. (7) You are asked to enter them all individually one after another and the address is shown. (8) Output dump in hexadecimal with each character on one or printer. The start and end addresses are prompted for insertion of the data to be

[illegible]

I do hope that it is of use and
enjoying using it. If you don't
like the idea of typing this in
then a copy is available from
me on cassette at the price of
£2. Send a cheque to Greg
Henderson, Sarney 36,
Woodbury Avenue, Wells,
Somerset BA4 2AA.

Overview

[illegible]

```

1  *
2  *
3  *
4  *
5  *
6  *
7  *
8  *
9  *
10 *
11 *
12 *
13 *
14 *
15 *
16 *
17 *
18 *
19 *
20 *
21 *
22 *
23 *
24 *
25 *
26 *
27 *
28 *
29 *
30 *
31 *
32 *
33 *
34 *
35 *
36 *
37 *
38 *
39 *
40 *
41 *
42 *
43 *
44 *
45 *
46 *
47 *
48 *
49 *
50 *
51 *
52 *
53 *
54 *
55 *
56 *
57 *
58 *
59 *
60 *
61 *
62 *
63 *
64 *
65 *
66 *
67 *
68 *
69 *
70 *
71 *
72 *
73 *
74 *
75 *
76 *
77 *
78 *
79 *
80 *
81 *
82 *
83 *
84 *
85 *
86 *
87 *
88 *
89 *
90 *
91 *
92 *
93 *
94 *
95 *
96 *
97 *
98 *
99 *
100*
101*
102*
103*
104*
105*
106*
107*
108*
109*
110*
111*
112*
113*
114*
115*
116*
117*
118*
119*
120*
121*
122*
123*
124*
125*
126*
127*
128*
129*
130*
131*
132*
133*
134*
135*
136*
137*
138*
139*
140*
141*
142*
143*
144*
145*
146*
147*
148*
149*
150*
151*
152*
153*
154*
155*
156*
157*
158*
159*
160*
161*
162*
163*
164*
165*
166*
167*
168*
169*
170*
171*
172*
173*
174*
175*
176*
177*
178*
179*
180*
181*
182*
183*
184*
185*
186*
187*
188*
189*
190*
191*
192*
193*
194*
195*
196*
197*
198*
199*
200*
201*
202*
203*
204*
205*
206*
207*
208*
209*
210*
211*
212*
213*
214*
215*
216*
217*
218*
219*
220*
221*
222*
223*
224*
225*
226*
227*
228*
229*
230*
231*
232*
233*
234*
235*
236*
237*
238*
239*
240*
241*
242*
243*
244*
245*
246*
247*
248*
249*
250*
251*
252*
253*
254*
255*
256*
257*
258*
259*
260*
261*
262*
263*
264*
265*
266*
267*
268*
269*
270*
271*
272*
273*
274*
275*
276*
277*
278*
279*
280*
281*
282*
283*
284*
285*
286*
287*
288*
289*
290*
291*
292*
293*
294*
295*
296*
297*
298*
299*
300*
301*
302*
303*
304*
305*
306*
307*
308*
309*
310*
311*
312*
313*
314*
315*
316*
317*
318*
319*
320*
321*
322*
323*
324*
325*
326*
327*
328*
329*
330*
331*
332*
333*
334*
335*
336*
337*
338*
339*
340*
341*
342*
343*
344*
345*
346*
347*
348*
349*
350*
351*
352*
353*
354*
355*
356*
357*
358*
359*
360*
361*
362*
363*
364*
365*
366*
367*
368*
369*
370*
371*
372*
373*
374*
375*
376*
377*
378*
379*
380*
381*
382*
383*
384*
385*
386*
387*
388*
389*
390*
391*
392*
393*
394*
395*
396*
397*
398*
399*
400*
401*
402*
403*
404*
405*
406*
407*
408*
409*
410*
411*
412*
413*
414*
415*
416*
417*
418*
419*
420*
421*
422*
423*
424*
425*
426*
427*
428*
429*
430*
431*
432*
433*
434*
435*
436*
437*
438*
439*
440*
441*
442*
443*
444*
445*
446*
447*
448*
449*
450*
451*
452*
453*
454*
455*
456*
457*
458*
459*
460*
461*
462*
463*
464*
465*
466*
467*
468*
469*
470*
471*
472*
473*
474*
475*
476*
477*
478*
479*
480*
481*
482*
483*
484*
485*
486*
487*
488*
489*
490*
491*
492*
493*
494*
495*
496*
497*
498*
499*
500*
501*
502*
503*
504*
505*
506*
507*
508*
509*
510*
511*
512*
513*
514*
515*
516*
517*
518*
519*
520*
521*
522*
523*
524*
525*
526*
527*
528*
529*
530*
531*
532*
533*
534*
535*
536*
537*
538*
539*
540*
541*
542*
543*
544*
545*
546*
547*
548*
549*
550*
551*
552*
553*
554*
555*
556*
557*
558*
559*
560*
561*
562*
563*
564*
565*
566*
567*
568*
569*
570*
571*
572*
573*
574*
575*
576*
577*
578*
579*
580*
581*
582*
583*
584*
585*
586*
587*
588*
589*
590*
591*
592*
593*
594*
595*
596*
597*
598*
599*
600*
601*
602*
603*
604*
605*
606*
607*
608*
609*
610*
611*
612*
613*
614*
615*
616*
617*
618*
619*
620*
621*
622*
623*
624*
625*
626*
627*
628*
629*
630*
631*
632*
633*
634*
635*
636*
637*
638*
639*
640*
641*
642*
643*
644*
645*
646*
647*
648*
649*
650*
651*
652*
653*
654*
655*
656*
657*
658*
659*
660*
661*
662*
663*
664*
665*
666*
667*
668*
669*
670*
671*
672*
673*
674*
675*
676*
677*
678*
679*
680*
681*
682*
683*
684*
685*
686*
687*
688*
689*
690*
691*
692*
693*
694*
695*
696*
697*
698*
699*
700*
701*
702*
703*
704*
705*
706*
707*
708*
709*
710*
711*
712*
713*
714*
715*
716*
717*
718*
719*
720*
721*
722*
723*
724*
725*
726*
727*
728*
729*
730*
731*
732*
733*
734*
735*
736*
737*
738*
739*
740*
741*
742*
743*
744*
745*
746*
747*
748*
749*
750*
751*
752*
753*
754*
755*
756*
757*
758*
759*
760*
761*
762*
763*
764*
765*
766*
767*
768*
769*
770*
771*
772*
773*
774*
775*
776*
777*
778*
779*
780*
781*
782*
783*
784*
785*
786*
787*
788*
789*
790*
791*
792*
793*
794*
795*
796*
797*
798*
799*
800*
801*
802*
803*
804*
805*
806*
807*
808*
809*
810*
811*
812*
813*
814*
815*
816*
817*
818*
819*
820*
821*
822*
823*
824*
825*
826*
827*
828*
829*
830*
831*
832*
833*
834*
835*
836*
837*
838*
83
```

[illegible]

A choice of words

Program: Editor
Supplier: R & A J Preston
Kings Hill Court, St Andrew's
Major Road, Gillingham
Price: £15.00

PRESTONS are continuing to produce re-run of good software and breathe new life into them by taking it to the heart of the package. Indeed neither latest offering being originally produced by Prestons at £12.95. Prestons do not create the program on the basis that it should be any good, just the contrary! Editor is a versatile word processor providing most of the facilities found in very much more expensive word processors and can be operated via disc or cassette. The disc version is called Desktop and is on the reverse of the tape. The main features allow normal or justified printing, a automatic wordwrap and include full editing facilities. The latter are fairly comprehensive including letter word or combination of words to be added, deleted or changed. There is even a Find and Replace tool which operates like Move Lines and Photo graphics software in that it can make free design of standard letters requiring no commitment on any side.

Additionally the program allows upper and lower case printing to any required typewidth, print (converting to include multiple top capital and various typesets).

The standard base of print fonts is:

a) 10 characters per inch, writing more text to be printed in a given line width;

b) Double print (prints the line in two passes of the head, thereby increasing the paper thickness the dots to achieve a higher print quality);

c) Emphasised print (each dot is printed twice to produce the effect of bold type);

d) Enlarged print (gives the impression of double height characters printed in bold type, very useful for headings and title pages).

e) Condensed print (prints 100 characters in the inch compared with the normal 10 characters in the inch or 12 characters per inch, very useful for full sized documents and wide tabulated data).

You can also adjust text typefaces if required by first using the document in which using the Change Type Face menu incorporated into the program, which will also automatically insert the normal Print key.

Once you are satisfied with the layout and content of the actual print fonts you can then decide a final print which prints out the text by lines. It is stored in the Dragon's memory. Each of the lines is numbered and all carriage returns are marked. When you have completed your draft print or even if you did not require it at all, you can enter the Printout Print routine which enables you to format the text for printing in virtually any typewidth up to the maximum allowed by your printer and with any given number of lines per page. The text can be justified, margins altered and line spacing adjusted. Of course, if you wish to save the text to tape or disc there is a very useful facility for doing so, which incorporates a special feature for identifying the text and the flag set in it.

The instructions for the operating at Editor are clear, concise and simple and also contain a program to assist you to print early running of the program. As it differs are not enough there is even a short appendix outlining examples of how to save data using the facilities given.

Editor is a very simple to use and gives all the facilities contained at £12.95 a most rare as one of the best buys of the year and receives my wholehearted endorsement.

R L M Hounslow



The ball rolls again

Program: RollBall
Supplier: R & A J Preston
Kings Hill Court, St Andrew's
Major Road, Gillingham
Price: £7 (cassette)

THIS is not a review of the game piece of software that has been reviewed before in Dragon User. As yet I do not even know if it will replace the original RollBall or be called RollBall2 or whatever.

When I first received RollBall for review from Hounslow many months ago I was delighted as I had seen the game before (well, indeed, at the Coast Show in 1987) after many attempts at testing it I eventually gave it up only to find that my fingers were not nimble enough to work the keyboard. Having accessed the chess screen (which up to now of course I know I have) I sat the colours to red and green and was stopped by the overmoving around. This made the task of getting around the screen much easier. Then I sat a board mapping the 48 screens while my youngest son David took over on the keyboard.

David struck at the heart of an unusual problem and I was still experiencing loading problems from the cassette. Having contacted the author Jonathan Cameron I was sent a disc version but came upon the same problem. After several phone calls to Jonathan the eventual agreed was that I was right although we both agreed that probably would be able to get that far playing the game normally. Now I have received the updated version and it is what the original should have been.

To those of you who do not know the game at all it will give you a total sensation. You get a ball along a 3D landscape collecting 48 points which form a picture in the top left hand corner of the screen as you push it up. To move from one screen to another you select your exit move on key and press the appropriate key. At the start of the intervention you are presented with a menu from which you can define your own keys for

the directions, picking up etc. and this is a definite advantage over the original. There is no joystick option in either version of RollBall and this is because the ball moves over some fairly rough scenery and it would be even more difficult than using the keyboard. You can also select the colour ball and the speed of play also its movements on the original.

The scenery in this version is slightly different to the original and is more of a 3D scene as now instead of each picture piece collected, when there was no score feature in the original game. At last I kept getting caught by the scenery cube as I arrived on a new screen but if you watch closely you might discover how to avoid this. Several of the picture pieces appear to be impossible to collect as they have a little imagination and experimentation should help you to get them all. One piece in particular is very difficult to see but I can assure you that it is there. When for either if you have collected the 48 pieces and the picture is complete then a flying saucer appears overhead and the ball goes off.

There is the usual Carl Wright musical accompaniment and an unusual method of leaving the screen which I really enjoyed. I must thank my son David once again for doing most of the work. To sum up I found it to be a challenging game which has been greatly improved from the original.

I had not seen the game so long ago but probably have I thought that Jonathan had taken parts of Merlin, Medusa and Andar and put them together to make the game. I think that this is a very good game although difficult to get very far into. It is a complete success you can find the perfect for unlimited times or for stopping the game moving about.

John Gird



Quick on the Draw

Steve Taylor draws the line — from assembly, fast.

THIS routine is designed to replace the Dragon's LINE command for use from assembly language in PMODE 4. I was prompted into writing it by Brian Gault's reluctance to explain how to use the coin minimal coordinate system. Although it can be done, it is a complicated and slowly changing web of intricacies — it is not worth the effort.

The coin routing system in any PMODE and in any video colour box (at this point is configured) for PMODE 4 only although it does work for colour 2-bit 1 or colour 1 on 0 using either SCREEN 10 or 11. The reason for this restriction is that anyone attempting to write graphics programs (especially for assembly) would be spoiled. Generating the foreground and background and several angles would slow it down too much for it to be of any advantage.

Use has been made of Bresenham's algorithm 1, which is extremely fast. The reason for this is that the central line search for algorithm requires data to be calculated, the result of which must be stored as a binary number to preserve accuracy. Division and fraction handling are both extremely time consuming and so Bresenham's algorithm uses only integer addition, subtraction and multiplication by two (which is achieved quickly by a logical shift left).

To save hardware the point the start and end points of the line, LDATA in the following format:

```
LDATA: 01
LDATA: 2 11
LDATA: 4 12
LDATA: 6 12
```

where the Microsoft notation is LINE (X1,Y1-X2,Y2). If the line is to be PRESET then use the value of the background colour in the variable BGCOLOR (page 6) given by WHITE = 1 and/or SCREEN 10 or 11. Storing the value of the foreground colour in BGCOLOR will cause the line to be PRESET. Then call the routine with BSA STLINE. All registers used are preserved.

Note that all the coordinates are 16 bit values in order that negative numbers are handled correctly — a 16 bit register should therefore be used to effect the transfer.

Note also that B2 must be greater than X1 — a warning is displayed to the right. This speeds up the routine. Failure to observe this notation could produce strange results.

Vertical lines are extremely fast. Use can be made of the fact that once the position of a pixel has been determined, it does not change horizontally and so all that is necessary is to move the set point by B2 bytes each time (to take a constant) and add to the upper Y coordinate at location YU and the lower Y coordinate at location YL, where YU is the X coordinate in stored in XCOORD. The routine is then called with BSA STLINE. Again, all registers are preserved and the stack is unaltered. Note that the vertical lines always draw from top to bottom and as YU should always contain the Y coordinate which has the smaller value.

Both routines take the top left of the screen as (0,0). Although this is an unfortunately stupid notion (presumably conceived by some particularly morose early Microsoft staff) it has been referred to the state of festivity (it also makes sense on the title of this article).

Subroutines

The sub-routine WHITE returns the address of the byte containing the graphics coordinate score as (XCOORD,YCOORD) in screen WHITE using the relationship:

$$WHITE = BSTART + (XCOORD * 2) + (YCOORD)$$

where BSTART is the base address of the screen. This is stored by default in location BA (page 6) in the routine producer file. Correct result can be graphics start page (in PMODE 4.1) PMODE 4.2 and respect the of whether the data are connected.

The sub-routine WPAUL processes which post-words BYTE is being referenced and ensures the stack and the registers if you imagine the B register mapped into BYTE, then there will be a 1 at the position of the post word and a 0 everywhere else.

One further point — neither STLINE nor WPAUL checks to see if the line being drawn would go off the screen. It would therefore be quite possible to draw a line from (0,0) to (max,0) although if you try it you will almost certainly crash your Dragon — beware!

Finally, if anyone has any problems or wants anything explaining further, write to me at 221 Plum Spot Rd, Bromley, Kent, SE16 6NQ or 0893 616666 or 0893 616667.

References

1. Algorithm for Computer Control of Digital Plots, J.C. Bresenham, IBM Systems Journal 4(1), 1965, pages 30.

```
*****
*
* PROGRAM "Lines"
*
* LINE COMMAND FOR THE DRAGON
*
* 19-8-87
*
*****
*
* DRG 10000
*
* STLINE PSHS X,Y,B,U
* LDH BSA
* STX BSTART
* LDA H01
* STA IORD1
* STA IORD2
* STA FLADR1
* LDH LDATA+4
```

```
LDH ALDATA+2
LDY ALDATA+3
LDH J,K
CMPD J,Y
BCS SHAPY
LDH J,Y
CPLD J,K
TTS DT
BSA CONT1
SHAPY
CPLD J,Y
TTS DT
LDA H01
STA FLADR1
LDH DT
CPLD DX
SHI YINC
LDH KCOORD+1
LDY MYCOORD+1
LDA LDATA+3
STA FINISH
```



```

SUBS    LDATA
STD     DX
BES     LABEL1
LDA     B-1
STA     IORD2
LEAVE1: BRA     INIT
TIME:   LDX     BYCOORD+1
LDY     BYCOORD+1
LDA     LDATA+7
STA     FINISH
LDB     DY
LDU     DX
STU     DY
STD     DX
LDA     FLAG1
CMPA    #B1
BBS     INIT
LDA     B-1
STA     IORD1
INIT:   LDB     DY
LSLB    ROLA
STD     INCR1
SUBD    DX
STD     DEE
LDD     DY
SUBD    DX
LSLB    ROLA
STD     INCR2
LDA     LDATA+1
STA     XCOORD+1
LDA     LDATA+3
STA     YCOORD+1
LRRR    WHITE
LRRR    WPINEL
LDU     BYTE
LDA     BKCOL
CMPA    #B0
BBS     BLACK6
COM     ,U
ORB     ,U
CONB
BRA     WHITE6
BLACK6 ORB     ,U
WHITE6 STB     ,U
LOOPA: LDU     -1,X
LDA     IORD1
LEAU    A,U
STU     -1,X
LDD     DEE
CMPD    #0000
BBS     ELSE
ADDD    INCR1
STD     BEE
BRA     NEXT
ELSE:   ADDD    INCR2
STD     BRE
LDU     -1,Y
LDA     FLAG1
CMPA    #B1
IORD2: LEAU    A,U
STU     -1,Y
NEXT:   LRRR    WHITE
LRRR    WPINEL
LDU     BYTE
LDA     BKCOL
CMPA    #B0
BBS     BLACK5
COM     ,U
ORB     ,U
CONB
BRA     WHITE5
BLACK5 ORB     ,U
WHITE5 STB     ,U
LDA     -1,X
CMPA    FINISH
LIMEND: BBS     LOOPA
LINE0: PULS    X,Y,B,U,PC
#
# *****
# DRAW A VERTICAL LINE FROM      #
# YU(UPPER) TO YL(DOWER)         #
# *****
#
ULINE: PSHS    B,Y
LDB     #B0
STD     SSTART
LDB     YU
STD     YCOORD
LDB     XVERT
STD     XCOORD
BBS     WHITE
LRRR    WPINEL
STD     MASK
LDD     BYTE
STD     DX
LDD     YL
STD     YCOORD
RRR     WHITE
LDD     BYTE
STD     DY
LDY     DX
LDB     MASK
LDA     BKCOL
CMPA    #B0
BBS     BLACK7
COM     ,Y
ORB     ,Y
CONB
BRA     WHITE7
BLACK7 ORB     ,Y
WHITE7 STB     ,Y
LEAY    SP,Y
CHPY    DY
BLD     LINLP
ULEND: PULS    B,Y,PC      ; RETURN
#

```

```

#####
#
# VARIABLES & SUBROUTINES
#
#####
#
MASK RMB 1
DEC RMB 2
BK RMB 2
BY RMB 2
INCR1 RMB 2
INCR2 RMB 2
FINISH RMB 1
GSTART RMB 2
JORD1 RMB 1
JORD2 RMB 1
FLAG1 RMB 1
XCORD RMB 2
YCORD RMB 2
+
BYTE RMB 2
PIXEL RMB 1
+
YU RMB 2
YL RMB 2
XVERT RMB 2
+
LDATA RMB 2      ;X1
          RMB 2      ;Y1
          RMB 2      ;X2
          RMB 2      ;Y2
+
BKCODEL RMB 1
+
;-----;
; CALCULATE IN WHICH BYTE THE ;
; PIXEL TO BE SET/RESET LIES ;
;-----;
MYBYTE PSHS B
LDB GSTART
STB BYTE
LDA YCORD+1
LDB #02
PUL
ADD BYTE
STB BYTE
LDB XCORD+1
LSRB
LSRB

```

```

; SPS
; EX
; ADD BYTE
; STB BYTE
; PUL D,PC      ;RETURN
+
;-----;
; CALCULATE WHICH PIXEL AND ;
; LOAD B REGISTER WITH MASK ;
;-----;
+
WPIXEL PSHS A
LDB XCORD+1
ANDB #007      ;00000111
STA PIXEL
CHPA #00
BHI NEXT1
LDB #000      ;10000000
PULS A,PC
NEXT1 CHPA #01
BHI NEXT2
LDB #040      ;01000000
PULS A,PC
NEXT2 CHPA #02
BHI NEXT3
LDB #020      ;00100000
PULS A,PC
NEXT3 CHPA #03
BHI NEXT4
LDB #010      ;00010000
PULS A,PC
NEXT4 CHPA #04
BHI NEXT5
LDB #000      ;00001000
PULS A,PC
NEXT5 CHPA #05
BHI NEXT6
LDB #004      ;00000100
PULS A,PC
NEXT6 CHPA #06
BHI NEXT7
LDB #002      ;00000010
PULS A,PC
NEXT7 LDB #001      ;00000001
PULS A,PC
+

```

Word processor applications

Roger Merrick finds that there is more to WP than words

DOES the subject of word processor applications need an article, you may ask? Surely with a word processor you produce words. Depending on whether you are at home or at work, this may involve writing letters, essays, reports, articles for computer magazines, reports and so on.

Well, there are more applications for a word processor than may immediately meet the eye.

OS-9 users will be well familiar that Basic can be used to prepare programs and for BasicDOS ASM (Pascal) and so on. In a similar way Dragon's system word processors can be used to prepare Basic programs.

Load as Basic

If working with cassette input/output, a word processor like Astrolink can be used to prepare an asz file that can subsequently be loaded directly as Basic.

The obvious disadvantage of preparing Basic on this way is that it is not attractive if a program cannot be run from within the word processor. Cassetts (IO) makes the process of saving to word processor files, and loading and test running the Basic, a lengthy and frustrating task.

However, there are advantages if the system is used correctly. It is probably not helpful to write from scratch a Basic program within a word processor, but when modification of an existing program or program is required, then the global search and replace facilities of a word processor come into their own.

Merging one program file with another is an inherent feature of most word processors. The files will be loaded sequentially in memory up to the level of overlap. There are no worries about shared line numbers accidentally overwriting each other.

Block move

Block move operations can be used to instruct programs. Astrolink contains PROCEDURE commands that automatically correct line numbers.

With 'split on off', a line can be appended to a previous line to optimize program operation.

It is often conceivable that, spending the whole process of program development building, entering and testing the DATA file, is merely a waste of time and effort. A program loaded consecutively from Basic file reading into the word processor. Lines I merge into DATA file from disc, and finally

save to cassette. The resulting file can be loaded in Basic. There is certainly a better way, and I would like to hear it.

Disc doctoring

If the word processor allows any form of manipulating basic, a real-time file of the Basic tokens, two byte tokens first, single byte tokens subsequently, in the same order (but) as the original file in the actual host Basic words.

The Basic programs are normally loaded on a file, use DragonDOS's BSLD command to read and display the section until the tokens of the required program are located. The chapter file can read the directory content and merge the information to locate the last file directly sometimes. Having located the remaining sections of the last file, they should be read into an array in memory and then written to a data file on a disk. This data file can then be read into the word processor, and the real-time facility can be used to replace the Basic tokens with token list equivalents, producing a readable version of the program and handling the reconstruction of any interpolated areas. This resulting file can be saved as Basic or as Basic Plus above.

The search a real-time facility has to be used rather than search and replace is of course for the characters needed. Basic tokens are not available from the Dragon keyboard. Some word processors may allow the search string to be defined in terms of CHR\$(n1)+CHR\$(n2), which would allow the token code to be searched for.

Disassembly

In a similar way, a list of assembler instructions and their decimal equivalents can be constructed. Working previously I have developed a matching code file which read as disassembled to word processor and merged with the assembler instructions file. Working from a disc file is likely to be required as word processors cannot be moved around in memory and generally reserve all available memory for their own use.

Database

Many of the databases that I have seen for the Dragon are really just word lists. The way they can be handled. How initially I find it to be such a database of names and addresses (also) that must specify an entry search string. Not a satisfying fit.

John Williams

is a name, and I search for Williams, depending on the database I may get a 'no record found' type of report. Perhaps it is best to prepare some information based on the location of addresses in the database by sorting all those in certain postcode areas. Again many databases will not cooperate with a desire to collate all postcodes in an area. If the postcode used is 7 characters long, I am lucky, the database may automatically list all word cards for the rest of the list.

But with a file with imposed discipline, data can be structured in a word processor in such a way that the word processor's search facility can be used to find every occurrence of particular strings. Of course this is only a one-dimensional search, but many of the Dragon databases I've seen are only one-dimensional anyway.

The advantage of the word processor is that a search can be made of any search string that can be entered from the keyboard, from one letter to the word processor's search string buffer limit (which is 254 characters). A database table of content with data has been made in rather large blocks, whereas a database should read on a string by string basis. In fact for many Dragon databases the indexed database information is by blocks anyway.

Another use I made of the word processor was to construct a yearly diary. Twelve lists, each numbered a month of the year, and usually containing at least 1 to 256/255/254 depending on the month, with the relevant days of the week appended (using block copy and repeatedly saving and erasing different lines) to create a typist.

I can then enter data as required, and use the word processor's search facility to find any coming appointments.

Accounts

Not many Dragon word processors have the facility to perform algebra, and sure enough I guess. Almost as one bit if the accountants then simple accounts work can be carried out within the word processor.

Conclusion

A word processor is a powerful and flexible piece of software, which lends itself to applications a client has prepared and used. With the limitations of DragonDOS and the difficulties of a learning time paid, it has one application being loaded into another, a powerful word processor can perform many of the functions of simple text processing software, such as databases, as well as better.

Show us an alternative

Ken G. Smith makes a great journey into the Black Country to find the legendary Einstein, and maybe Dragons

THE 2000 election had nothing special about it. It was a normal election, one that I would have been in the center to attend. The first vote was announced by the Computer Science Center. I have long believed that I had the future secured by my work in the field, an alliance with users of another of those machines that had earned me a lot of respect and power inside the company. When Clinton was announced that would be the end of it. I was in Birmingham, and that had no good theory. The problems were local, just local. All the companies that I had worked for were local. I had never been out of town, and even the planning job did not get me far. My way and I arrived in Birmingham, and I had no idea what I had done. I had been a local guy.

[illegible][illegible]

Several groups provided their regional area, but the Ontario area was for the Middle and Lyle. Then the Jupiter Area managed a group. The Nelson Dragon User Group however were complicated by their absence. Of the four Dragon software players, not one found any cause for complaint. John Parn said that even if it had not covered his costs (he thought it had) it could not have been worse—his friend, Peeters, and Compuserp reported a miserable ride through not as good as a Dragon ride. The fourteenth was also from the past. Gage Manning seemed to ask me, obviously very young, and it was surprising to hear of it. Alton Snow. What was even more surprising was that they are still selling Dragon software, unusual other than of course

Everyone attending the show got a free copy of *Mico Comproment*, a fortnightly magazine mainly designed as a vehicle for advertisements, but also containing some interesting articles. The free ads for readers make it attractive and it is a relief to find non-align-aid magazine that does not find Occasions and its members dull.

I found it hard, and hard (hard) at the show, and played longer than I had intended. The organizers are already planning another bigger show for the same time next year. That gives us plenty of time to arrange our duties in order to be on the scene the next. About our show, can only get started. Combining with others will make us to continue longer and make more people aware of the fight, we are still here.

It is an all-or-nothing bet, but I am still hoping to establish an excellent club and one which will help to give points of order, discuss issues, control and inspire power. This is the first year that I could have thought of drawing on other machines, and the ratings in May 1991 and as I have pointed out to a number of interested parties was indeed unfortunate, so much so that a rumor was spread that Dragonstar was dropping the show. This was far from the case, but we had an obligation to pull most of our support behind the Hulton show to which they Dragon-dancers had already committed their resources in future years. I have great regret that the Atlanta show should not prove a suitable forum for the Dragoners, and will support it in this regard.

with 100% efficiency on both Dragon, with both system and PC113 and space to spare. The best of the two pagitumax is the sum of the day. My experience with the command is the result of years of experiments, trying to get a query into a good job, or converting a query which POLYBASED to be under RAS 4.2

5. Write a module (PROC) to which clients bring space and dimensions of all things and variables. The last statement being `CALL GTPROC`.

This module may not be very large. One of the features of the Dragon Chivali.com menu is that though you can Chivali email programs from larger ones, if you follow the step-by-step guide they create, you don't need to read the 200-page PDF statements, only the sample PDF. This module gets more than 90% out of the others if they are all equal. This is **VERY IMPORTANT**. It gives the menu and other modules. **PROCESSES** it when writing these and other things or it is not required. It is a 100% success rate.

By default, you cannot run any other module in any order. All data and all modules are precalculated, only the program is changed. If you want to use the CHAIN command, you need a long time (at least 10 seconds). In order to improve the impression of system crash, you can specify the time before you start the next module. For example:

WORLD PRINT RENT A MODULE PLEASE
YOUR CHAIRS CONTINUED

split is recommended in the manuals to do a string compression (FF-PRC) at the start of each module. This adds a few milliseconds (by 4), but is perfectly acceptable in present situations on the screen, and beyond. For example:

TO: CUBA PRINT INSTRUCTIONS FOR
BEST PP-PAGE
NO COST OF PAPER

These designs are the penalties which we have to pay for having so much apparent memory. CHAMM is not a crash-proof tool. Regulators under the CDOs are of two other and worse kinds when they are not fools. The command `CHAMM PROG` line is probably best used when expanding or adding programs (if starting from scratch). Not adding all other modules is required unless they are written at all modules prior to the beginning, or made use of a variable which is defined. For example:

```

100 IF N=1 THEN 100 ELSE IF N=2 THEN
1000 GOTO 200
200 End of program

```

Since only one module is worked on, and saved as a new development, conflicts are avoided. Sloppy development only uses one module at a time, is a crash.

Now I have outlined the way of using QEMM, it would be nice to find a list of new programs making use of the new found space. Speed demons, CAM-GAD, PCG design, who says you need 2MB of memory to run useful programs?

Breaking out in Chains

J R Sublette tackles an old command

I expect many people have noticed I have command when they feel got their decision and long me they gave up trying when their concerns, existed.

¹⁰ See, e.g., *Transamerica of Iowa, Inc.'s* (2001) 11-12 (noting that a defendant's failure to respond to a 2000-01 IRS audit is not, in itself, evidence of tax evasion).

Dragonsword!

Paul Grade gets his inspiration from a fruit.

Do any of you remember those notorious underachievers just about every paper and magazine, the ones which underachieve as usual for "Age of the Computer" and how only this current generation of kids would be able to understand it? The ones aren't quite as frequent now and if it's a year since I last read one about Superbit age it was in *Magazine* before breakfast and again in *Magazine* turned out to be a lie. But somehow the latest still finds that anyone old enough to buy a drink is too old to understand computers.

I often wonder how such myths get started because if the members of the myth are anything to go by, this one couldn't be more wrong. I have about five people under the age of twenty years old who are adequate programmers, and a couple of those are what I would consider to be professional status. But we are about the same number who are less severely and while they may like to think of themselves as youngsters, I don't think they quite fit the image that the media usually try to paint. Most of the professionals in the group are in the thirty to forty age range and although most of them aren't writing commercially for the Dragon they are their best writing for far more complex systems. So where does all this rubbish about Superbit programmers come from? And why did it start in the first place?

Personally, I think it began as an attempt by computer manufacturers to convince parents that their beloved brats would end up unemployed and begging on street corners if they were deprived of a Z80 or an Atari 400 on which to learn those ten mysterious skills, which alone could save them from the real to come (fortune and an Atari 4000 card).

Convincing tale

There's nothing new about that kind of sales pitch. A well-promoted toy store's parents will buy their kids anything they think will give them a better start at life even if they can't really afford it. You're only too late to remember Christmas TV ads being taken from wall to wall. Of course, it is a double-edged sword for the most part. It's a double-edged sword to play along with it, and when they get their new toy (sorry, computer), they usually make a pretty good job of convincing parents that they are brilliant programmers even if their ability really only extends to reading in the latest *Wallykaz!* Hypergame converted for PC from the original (to 80 bits).

So what are I doing you say for? Not, as you're expected, as an attempt to bore you to death, but in the hope that someone out there on the other side of the keyboard might be able to tell me the answer to the problem which is so clearly killing the home computer scene. It's the brainless (or) learning

is program, or is write about the subject and I'll be professional! Am I all weighed in making money on it for far more profitable business market, what about the home computer market going to come first?

No Kidding

I don't think I'm making Superbit Disappointment when I say that even user groups and magazines are short of informative articles on hardware and software, and software distributors have reached the stage where they're actually cutting new to distribute. (Far from editorial disappointment, *Disappointment* are busy because we have some very good people, and I will always welcome who comes up with a steady stream of information and comments. Inevitably, the *Disappointment* of my acquaintance is finding it so difficult to find any authoritative information on hardware that it's having to take stuff with a pinch. This is because the younger generation is learning fast enough, and the experienced ones are concentrating on making a living. However, your comments on software distributors may be the work of a third of disappointment, after a year this effort everybody was ensuring the lack of color-saturated magazine contributions, they've got their act together and are producing more magazine material steadily.

I would hope if schools did more towards helping kids to learn to use computers properly, but they don't seem much chance of that happening. Although there are newspapers most seem to rely on I'm leaving the kids which keep to print in order to run ready-made material, which is disappointing. I think I am on a tight and calling it editorial engineering.

Fortunately, there are still a few kids who don't believe all they're told at school, and some of them take away at their computer activity and they can make it do what they want without having to rely on someone else's ability, but they are few and they usually get little encouragement and support. I know I have given up because they are always being told to stop messing about on their computer and so their homework. For people who can't do that, some parents really demonstrate the ability to pass exams, not produce anything useful.

What can you do?

So what can you do? Well, if you're still at school, you could try teaching yourself, rather than looking yourself. The Computer Studies will teach you everything useful. If you're more ancient you could stop complaining that I'm too old to learn (I'm sort of thing) and have a go at it. (My

father is over 60 and he's got his first computer in the year. His teaching/learning program is about the drawing classes. He's a bit, but what you really need to do is writing something down. It's a little different from what you know to others of all ages, so that they have some confidence in it. At the help and encouragement can do a lot of good).

Computing isn't a spectator sport. Being around playing with some other programs is about as instructive as watching *Nightcrawlers*. Learn to write your own programs, learn to make repair and adapt your own hardware if necessary, and you'll find the whole thing becomes a lot more interesting.

I'm not suggesting that you shouldn't buy software, but that you should reach the stage where if the program you need doesn't exist, you can write it for yourself, and if your Dragon repairs in a cloud of smoke and a screen full of garbage, you at least know where to look. (I would say that I'm a professional in the last area only).

Yes, I know it's so good why don't I do more about it myself? That question, but I don't really know what more I could be doing. I'd like to make some really useful, I mean, I've reported more Dragons and a couple of peripherals than I can remember. I do try to help where I can, but I don't acquire a new one and make the odd for (downright precious) page for 20 years each month. Generally, I try to make people who are really interested in computers to make a little bit of money in a video recorder. It's a few way means, if they're not making very popular, but it gets better results, and it hopefully brings a few people out of their complacency long enough for them to start thinking about what they can do with their own resources, which means that it's a whole new experience for them.

Tell me if I'm wrong

So what's my why I don't have a software company, or become all the other things I would like to do, because I don't have any time left to do them all. Anyway, you see a Dragon too often I say, so why should I deprive you of your chance of fame or notoriety?

Yes, I'd get tired of keeping one or two people but someone has to do it, and I got tired of doing it on a day.

By the way, if you are still at school and think I'm being unfair to you or your school, and that you really are a good programmer, and they really are teaching you something useful, write and tell us. It'd be pleased to be proved wrong. It isn't really that I and people (I'm a bit of a do).

By the way, every letter that I've had in response to this column has been in agreement with my comments, and I would like to know how many who DON'T agree on what I did get into. (Paul, Sam, Lector, Pigeon).

Director: DGB
Name: T.G. Hamilton
Address: Tel. (800) 966-6664

Write: ADVENTURE

Pete Gernard slips naturally into a role

NEXT door's boyfriend seems to have survived the postal strike judging by the phenomenal amount of roses it was making only the other day. The taste of this rose is not known although I hope with some imagination that the rose is large pile of something outside the rising public house where women have been seen for two days. Mind you, precious little can be seen at all today if it is indeed playing another.

There is a liberal coating of frost covering everything. It is extremely truly this rendering the cemetery on the other side of the road invisible and it is very very cold. Cemetery? Yes, because a cemetery. Definitely spooky it can seem at times, as well. I often start from nights when a low mist covers the ground and only the tops of the gravestones can be made out in the dark half light. (Someone once remarked that had there been hellhounds watching 'tis to stare the dead.) I sincerely hope that it doesn't!

In last month's issue I gave a brief introduction to role playing games, but there are many other aspects of this fascinating kind of adventures I had have still to be looked at. Quite in the traditional adventure game fashion, characters and items or props to give them an official name, but these characters are to be treated as if they were real playing games and just as early adventures all tried to treat each other by having three (or four) locations, no modern RPGs are wandering along a similar road but they are in as many characters as possible into a single game.

I read in E. Hunter's new adventure, *The Curse of Camery*, describing his characters, and includes such delights as small, a frog, and a bush. (I've never hunted for a bush as well, which can't be bad, and then only to find. Well, how can it be a good person write a role playing game and push the dead old Dragon even closer to the stars.

Role playing games

Characters in RPGs can usually be described in great detail. The good ones will at the very least ignore you (but others will usually help you in varying degrees. Since most RPGs are at the moment anyway, every night sessions on the traditional Dungeons and Dragons theme, something that will come back to state the good guys are almost invariably along the lines of wizards and elves. The bad guys will at the very least only help out and fight, but others will be doing their utmost to take all your resources of your party. Again the Dungeons and Dragons theme is strongly prevalent and the usual department of arms and defog

ing around with other newer updates.

Barring is usually to be found somewhere along the way, and the status of the character that you is beginning with whether I may be good or bad, will determine many things that would have to be to use if they can be bothered to deal with you in the last place. They might indeed push you away and speak you, but more likely you'll get round to doing a bit of bartering with someone at some time.

Careful with goats

There is an important rule to obey when bartering in an RPG: never be ridiculous. That is, if an object costs, say, 1000 goats don't go offering to for it. The character that you is dealing with might be highly unscrupulous, and at your work but that does not produce a real answer here somewhere and effectively end the game. You might be lucky and nobody will be writing, but then it will probably take you many months before you're allowed to try to tempt to barter again. Always try something reasonable like 400 goats, and take it from there. You'll probably be vying around 1000 goats wherever the item might be and a saving of 50 goats on the original price can't be bad. To percent of well worth bartering.

Another rule applies just as much in RPGs as it does in adventures: always save your position before trying anything dangerous or foolish and then invents usually pop up in an RPG, and then you might be offered all sorts of delights to tempt your game. (Gag and meat are inevitably there in one form or another, but it is probably safe drinking water if you played one RPG where it's usually and have to much to argue that they're just and cannot follow anything effectively. Reasonable enough, you might assume, but in this particular game it was not only the character who got drunk, so did the computer. At first I was convinced that the blessed thing had crashed, but as the character gradually recovered from the effects of the poison so did the computer. An interesting experience.

This getting drunk in taverns took in just one case where RPGs, since over I said I said adventures, because there seems to be so much detail with reality. The game most used adaptation of actually being I have to state that character I get hungry and thirsty, or tired, and needs to find food and water and possibly a bed for the night. I know that some adventures have tried to do this, but I never seems to work in the middle of an adventure game when you're trying to provide a way to get across a puzzling chain. There is less concentration on problem solving in RPGs, or so it seems to me anyway, and more effort is

spent on convincing the player that they really are there. Trying to work out how much money they've got and whether they can afford an expensive single room or a cheaper communal one and thus out the role of being robbed in the night.

That is not to say that problems don't exist, because they most certainly do, and in great quantities as well. It is just that the problems are generally speaking of a different nature from the standard 'meat, water, food, and gold' problems. Usually before at the adventure game writer. The problem of a room for the night, for instance, is mentioned in the previous paragraph. Checking in at the wrong place would be a potential disaster although it is something that can be done a lot better than a problem that grows you from getting any further on in the game until it is solved. There's mountains, less another great virtue of RPGs. There's always something to envisage doing, you can always have a room around a table and what lies beyond the next corner, you're not stuck in front of a yarning chain with a whole world to how to get across.

Time marches on

RPGs often tend to play themselves as well. That is, if a character wanders and the player doesn't press any keys and eventually someone the character with the game will pause himself from a second time will pass, and various events dependent on time will also happen. Time will come and then you'll be to get used for the night and have to sleep out in the open then that's your look-out. Once again this sort of thing has been used in many traditional adventures, although a slight sense seems to me that time marches more quickly on a role playing game. I'm still working out how to get across that wicked chain.

But here we come back to what I think is the one major problem facing RPGs at present and it was a situation that early adventure games went through, and to some extent are still facing themselves. Just as early adventures seemed to be nothing but copies of the original *Dungeons and Dragons* (and I was to be guilty at anyone else who's not going to me) so now we do many of the more popular RPGs all look remarkably the same. They're not the same game, you're not in it at all because of various of the time, but there is a clear resemblance from one to the other. All the comments made so far about bartering, good guys and bad guys, taverns and inns, would apply to any one of a hundred RPGs and it is to be hoped I've got some way to help it along by encouraging people to break out of the mould and come up with something completely different. We might look at a few ideas next time around, but

Cereal data

Grassroots / no-assembly source starting by towns

On this page in the past we have made reference to conflict competitions (by that I mean those competitions frequently found on the pages of breakfast cereals) in which it is necessary to write up a list of desirable features (usually starting at the top) in hopes of either of the contestants in the order decided upon by a panel of judges. To be certain of winning in a writing line how many attempts would you need to succeed?

Let's assume that there are only four features on the list. We would need four implants because of placing the first choice. That would leave three options remaining for second place; we would need 3 more implants to be certain of our second choice.

[illegible][illegible]

THE 2002 CONGRESS ON THE HORN OF AFRICA

the last two features. Proceeding in this way, it is clear that at least four more needs are a $2 \times 1/2$ or 0.5 attempts. This value is known as fractional 4 and is written $4/2$; the denominator mark being the symbol for fractions. A list of some of the lower fractions is given in table 1. Note that 0 is fractions 1. There is no logical reason for this, and 0 is a meaningless quantity, but by convention it is given the value of any yard by so doing many formulas using fractions can be simplified. However, this is a subject which needs comments on here.

- Although we don't make competition the organisms are seldom generous enough to let you know their secrets. A more

investor has to wonder how. There is no sign of a market that would need to absorb \$50 billion, and it is far from certain that getting the money into the U.S. will be easy. The U.S. Treasury has the cash of a record foreign creditor, but over \$70 billion more would be needed, and they even asked for a loan from the IMF. The economic crisis at the end of the last century was in this respect somewhat equivalent to a symbol. Clearly, it can be seen that as the factors of the economic crisis are taken into account, the number of different ways that a pack of cards could be dealt is 52 factorial, or 52! (52 times 51 times 50 times 49 times 48 times 47 times 46 times 45 times 44 times 43 times 42 times 41 times 40 times 39 times 38 times 37 times 36 times 35 times 34 times 33 times 32 times 31 times 30 times 29 times 28 times 27 times 26 times 25 times 24 times 23 times 22 times 21 times 20 times 19 times 18 times 17 times 16 times 15 times 14 times 13 times 12 times 11 times 10 times 9 times 8 times 7 times 6 times 5 times 4 times 3 times 2 times 1).

1999

WELL, here we are, saved from plunging the depths (and words mean depths) of the Mega Bottomless Biss by John Foster of Rouge Software, who wrote today to say that this 100 promised us five copies of the greatly enlarged *Messengers*. He reckoned he could manage another line. And we didn't even have to break his arms. Come to think of it, just as well we didn't, so he was still a tough-bitten little scoundrel, wouldn't you?

The greatest reward aside challenge has been pronounced the best game of 1988 by many and is a generous contribution from a software company in its early days.

Age Group	Percentage
18-29	~45%
30-49	~40%
50-69	~45%
70+	~40%

When you have obtained the complete
unopened postal vote an envelope
marked **JANUARY COMPETITION** with
your name today and anywhere else you
want to go! And send it to us at Alexander
Pawl, 160 Grosvenor Street, London W1C
2PL.

contains rare recordings of Led Zeppelin. They went for the records to make

Talking of branches, what about the webmaster? All yep! Using your skill and judgement, place the things you like about Oregon Users in order of importance. Think carefully before answering this: You may appear on the screen as you like.

October 2000

We allowed a certain amount of flexibility in the final solution - as many and as close up with a tightly defined antenna by perfectly the means. However it wasn't difficult to pick out the most confident pair of solutions.

The winners are: E.A. Hovenden of Addisonville with a particularly far-reaching set of placements; S.A. Sidelquist of Chazy; G.J. Gray of Middleburgh; Francis Hill of Canastota; Stephen P.D. Maddocks of Tipton; Peter Garabedian of Interpound; Paul Wesson of Warren under Edge; Fred Walters of Hamlet and last but not least, Angus Henderson of Spangerville, who

best several other critics of comparable brilliance on the strength of her abstruser. These years, they even work down to 10th place (The cast does not necessarily appear in order of success, but the battle for 10th place was definitely waged here).

Austrian entrepreneur *myofascial* living in London Football back up indoors? I mean he has a lot of friends. We have to live this month also indoor football (indoor) in Paris outdoor football because he has many friends. I love this city cold springs for fear of spending the night because outdoors I get the best night I'm playing the most gifted rugby players in the country because getting muddy is a Drag on my social life because it's difficult getting a Dragon even an outdoor football patch good one that I particularly like on all counts) because I would have to go to Geneva to see my friends and no one will miss this.

Solution

1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 2680, 26

find the value given as 4.0664 (87). (The number in brackets meaning that the decimal point needs to be moved 87 places to the right) obtain a value of the correct magnitude. Of course, this will not be the true value exactly to the last digit, but it will be sufficiently close for most practical calculations.

The application of such high loadings is generally restricted to the measurement of the summation of responses to a number of stimuli. It has been found that mice trained to tolerate in 1956 a Freusberg H Regional rated that 40, 54 and 71 when it was given 1, 2 and 3 respectively, using the methods of calibration then available, the way in which the loadings on this property and so on, concluded that they were the only way. How a company or company has taken the calculation of loadings for frequency, that would have been a very good one.

without finding any there is add to the list. The value of P is interesting in that it has a square number of digits and can thus be printed in square formation. Other factors with a square number of digits are the factorials of 15, 16, 20, 24 and 26. Of all values under 10000 there are just 36 that can be printed in this way. The largest of them being 364 which has 24021 digits. For the numericality index this value is given as 364.

Another problem is letting q be a constant instead of finding numbers in which the last two digits of each individual digit add up to the number itself. Apart from the trivial solutions of 11 and 22 there are just two possible numbers. One of these is 140 since $1 + 4 = 5$ (also equals 140 / 10) and I leave it to interested readers to calculate the other value (using a short computer program).

1998-1999 2000-2001 2002-2003 2004-2005 2006-2007 2008-2009 2010-2011 2012-2013 2014-2015 2016-2017 2018-2019 2020-2021 2022-2023 2024-2025 2026-2027 2028-2029 2030-2031 2032-2033 2034-2035 2036-2037 2038-2039 2040-2041 2042-2043 2044-2045 2046-2047 2048-2049 2050-2051 2052-2053 2054-2055 2056-2057 2058-2059 2060-2061 2062-2063 2064-2065 2066-2067 2068-2069 2070-2071 2072-2073 2074-2075 2076-2077 2078-2079 2080-2081 2082-2083 2084-2085 2086-2087 2088-2089 2090-2091 2092-2093 2094-2095 2096-2097 2098-2099 2100-2101 2102-2103 2104-2105 2106-2107 2108-2109 2110-2111 2112-2113 2114-2115 2116-2117 2118-2119 2120-2121 2122-2123 2124-2125 2126-2127 2128-2129 2130-2131 2132-2133 2134-2135 2136-2137 2138-2139 2140-2141 2142-2143 2144-2145 2146-2147 2148-2149 2150-2151 2152-2153 2154-2155 2156-2157 2158-2159 2160-2161 2162-2163 2164-2165 2166-2167 2168-2169 2170-2171 2172-2173 2174-2175 2176-2177 2178-2179 2180-2181 2182-2183 2184-2185 2186-2187 2188-2189 2190-2191 2192-2193 2194-2195 2196-2197 2198-2199 2200-2201 2202-2203 2204-2205 2206-2207 2208-2209 2210-2211 2212-2213 2214-2215 2216-2217 2218-2219 2220-2221 2222-2223 2224-2225 2226-2227 2228-2229 2230-2231 2232-2233 2234-2235 2236-2237 2238-2239 2240-2241 2242-2243 2244-2245 2246-2247 2248-2249 2250-2251 2252-2253 2254-2255 2256-2257 2258-2259 2260-2261 2262-2263 2264-2265 2266-2267 2268-2269 2270-2271 2272-2273 2274-2275 2276-2277 2278-2279 2280-2281 2282-2283 2284-2285 2286-2287 2288-2289 2290-2291 2292-2293 2294-2295 2296-2297 2298-2299 2300-2301 2302-2303 2304-2305 2306-2307 2308-2309 2310-2311 2312-2313 2314-2315 2316-2317 2318-2319 2320-2321 2322-2323 2324-2325 2326-2327 2328-2329 2330-2331 2332-2333 2334-2335 2336-2337 2338-2339 2340-2341 2342-2343 2344-2345 2346-2347 2348-2349 2350-2351 2352-2353 2354-2355 2356-2357 2358-2359 2360-2361 2362-2363 2364-2365 2366-2367 2368-2369 2370-2371 2372-2373 2374-2375 2376-2377 2378-2379 2380-2381 2382-2383 2384-2385 2386-2387 2388-2389 2390-2391 2392-2393 2394-2395 2396-2397 2398-2399 2400-2401 2402-2403 2404-2405 2406-2407 2408-2409 2410-2411 2412-2413 2414-2415 2416-2417 2418-2419 2420-2421 2422-2423 2424-2425 2426-2427 2428-2429 2430-2431 2432-2433 2434-2435 2436-2437 2438-2439 2440-2441 2442-2443 2444-2445 2446-2447 2448-2449 2450-2451 2452-2453 2454-2455 2456-2457 2458-2459 2460-2461 2462-2463 2464-2465 2466-2467 2468-2469 2470-2471 2472-2473 2474-2475 2476-2477 2478-2479 2480-2481 2482-2483 2484-2485 2486-2487 2488-2489 2490-2491 2492-2493 2494-2495 2496-2497 2498-2499 2500-2501 2502-2503 2504-2505 2506-2507 2508-2509 2510-2511 2512-2513 2514-2515 2516-2517 2518-2519 2520-2521 2522-2523 2524-2525 2526-2527 2528-2529 2530-2531 2532-2533 2534-2535 2536-2537 2538-2539 2540-2541 2542-2543 2544-2545 2546-2547 2548-2549 2550-2551 2552-2553 2554-2555 2556-2557 2558-2559 2560-2561 2562-2563 2564-2565 2566-2567 2568-2569 2570-2571 2572-2573 2574-2575 2576-2577 2578-2579 2580-2581 2582-2583 2584-2585 2586-2587 2588-2589 2590-2591 2592-2593 2594-2595 2596-2597 2598-2599 2600-2601 2602-2603 2604-2605 2606-2607 2608-2609 2610-2611 2612-2613 2614-2615 2616-2617 2618-2619 2620-2621 2622-2623 2624-2625 2626-2627 2628-2629 2630-2631 2632-2633 2634-2635 2636-2637 2638-2639 2640-2641 2642-2643 2644-2645 2646-2647 2648-2649 2650-2651 2652-2653 2654-2655 2656-2657 2658-2659 2660-2661 2662-2663 2664-2665 2666-2667 2668-2669 2670-2671 2672-2673 2674-2675 2676-2677 2678-2679 2680-2681 2682-2683 2684-2685 2686-2687 2688-2689 2690-2691 2692-2693 2694-2695 2696-2697 2698-2699 2700-2701 2702-2703 2704-2705 2706-2707 2708-2709 2710-2711 2712-2713 2714-2715 2716-2717 2718-2719 2720-2721 2722-2723 2724-2725 2726-2727 2728-2729 2730-2731 2732-2733 2734-2735 2736-2737 2738-2739 2740-2741 2742-2743 2744-2745 2746-2747 2748-2749 2750-2751 2752-2753 2754-2755 2756-2757 2758-2759 2760-2761 2762-2763 2764-2765 2766-2767 2768-2769 2770-2771 2772-2773 2774-2775 2776-2777 2778-2779 2780-2781 2782-2783 2784-2785 2786-2787 2788-2789 2790-2791 2792-2793 2794-2795 2796-2797 2798-2799 2800-2801 2802-2803 2804-2805 2806-2807 2808-2809 2810-2811 2812-2813 2814-2815 2816

This two-way comparison also includes iterations. Examination of the list of locations in **table 1** reveals some oddities. Notice how the number of sites at the end of each value gradually increases. These are cumulative and will increase without limit. For instance, the value 944 shows four sites in 2003 versus five in previous years. Later and further away displays are the experiments within the habitats of other sites. After the second last experiment (5 in 2002 and the last 6 in 2003) other locations with late repeating digits are 204 (2002–03) and 206 (Even more unusual is the location of 151 which has six consecutive 34 increments 2003–04). None of them would be so close to the smallest location with three digits at 101 and a pair of 4s at 144 that day at 144. Remember, we list the repeating digits, not the total number of sites for that day. The last two sites are 1000 (1000–03) and 10000 (10000–03).

The Answer

This is Gordon Lee's own reflection to the December competition winners, a *poem* for results.

These studies used various formulas to calculate the percentage of the population eligible for universal SBCs, and 2.4% is a conservative estimate.

Using the leading eigenvectors, Wallis sorted the observations into four distinct clusters (the old, the new, the young, and the old).

[illegible]

Formulas (1) and (2) show that the first step (the 1) is not completed (indicated by the 0) in the 10th step. That is, after the tenth step a new initial set 1 and steps are moved back to 0.

The listing given uses a submatrix which looks at the composed value of g and contains the dual index linked with

```

1  # 计算  $\frac{1}{2} \sum_{i=1}^n \log \frac{1}{p_i}$  的期望值
2  # 计算  $\frac{1}{2} \sum_{i=1}^n \log \frac{1}{p_i}$  的期望值
3  # 计算  $\frac{1}{2} \sum_{i=1}^n \log \frac{1}{p_i}$  的期望值
4  # 计算  $\frac{1}{2} \sum_{i=1}^n \log \frac{1}{p_i}$  的期望值
5  # 计算  $\frac{1}{2} \sum_{i=1}^n \log \frac{1}{p_i}$  的期望值
6  # 计算  $\frac{1}{2} \sum_{i=1}^n \log \frac{1}{p_i}$  的期望值
7  # 计算  $\frac{1}{2} \sum_{i=1}^n \log \frac{1}{p_i}$  的期望值
8  # 计算  $\frac{1}{2} \sum_{i=1}^n \log \frac{1}{p_i}$  的期望值
9  # 计算  $\frac{1}{2} \sum_{i=1}^n \log \frac{1}{p_i}$  的期望值
10 # 计算  $\frac{1}{2} \sum_{i=1}^n \log \frac{1}{p_i}$  的期望值

```

the actual value of the digit at that position not itself. Once the required digit has appeared in two consecutive assessments the relevant values are printed out. The same routine can be used on both of the formulas as follows:

Amend line 26 to read: 26-00000-1000
Add the following line item: 00000-1000

That is a tower with the Wells lining, but the procedure is exactly the same for the Lehigh Formula.

Classified

OPAFON 2000, also gives
and controls greater Tandy
DAFON, controls player
same game: victory, all
levels, levels are All 250 0-1
Win/Play 20 Million White,
Learn/Play Model Chevy C-15
20 1 1

DRAGON SPARKS.com
 Future transformers SMAR
 WPU and many other danc
 Reports upgrades GAE la
 for Rio Spots 20 Essen May
 Great Toham Gases Ode
 etc

BRADON 33 Super Dragon
 7000 cartridge w/old pro-
 cessors (chip) program
 manuals, two Dragon 64-128
 disks.

DRAGON 64 2dr+. Address: Elite-only cartridges. Super DOS chip. Lots of books and software on disc. Complete set of Dragon OS files from no. 1 OS box. J08-0-765 5/87

[illegible]

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 109–116

[illegible][illegible]

100

Classified into: Top Secret
Physical and oral file form is: Classified Department
Oral Use: at Alexander Rank, Houston, Texas 77001

Chip swap

Graham Smith provides 'Eeprom Switching' in a DeltaDOS cartridge

PC9500 or you use it as a Dual-DIMM card you may have noticed that you have a spare socket sitting next to your DIMM option. It may appear that Perbit has produced a couple of using P9500s to fill the memory area. \$8000-\$FFFF which is exactly above the DIMM one. The circuit layout is designed to enable one spare socket when memory is accessed between \$8000 and \$FFFF. And the other spare socket when memory is accessed between \$E000 to \$FFFF. This of course means that you can't have the DIMM chip and the \$8000-\$FFFF chip occupied because of data corruption and there would be a bad located in the wrong memory area. The important part is the CPU/IO PHASEL pin 29 on the P9500 (pin 1 on P9500) should be CPU PHASEL but on both sockets on CPU it is connected to pin 29.

tion, the point of view is not in a position to explain how you can modify the results; and that the system itself can be used to hold an internal audit (SOX) (such as DOCSOFT.com) which would normally be a direct replacement for the existing Oracle SOX app and then the implementation itself will be the second time you will use the SOCSOFT system. If you simply select it in the system, it is a direct replacement because it is the wrong memory area. However, with an end to a suitable search, a few words and a couple of cuts in the printed circuit, you can remove the accident over. The advantage of life is that you can have both options permanently, avoiding transferring the chances of changing their own system to change them to the other. The disadvantage is the fact that you will lose the option to have the processor or Books drop fixed. You should also be in mind that you should not attempt to use with for power on.

If you are confident of your soldering skills, you can skip this section. If you are not, what are determined to learn it, go, then read on. Remember to read the following instructions carefully as you will have to put some tin solder on the board and solder onto the circuitry. If you get it wrong, it is your problem, I do not guarantee anything here. The principles are very simple. If you are doing a small switch or relay, you will need the **OUTPUT ENABLE** signal between the two sockets. You will need a diode (a diode change-over switch, if you will) to avoid switching from line to line, and you should bring it in from about 6 inches away. It should be enough. I suggest you use two different colored wires, can be any color.

Before you start, decide who you are going to install the switch on: the bridge card and ensure that it will not foul any of the components and that you will be able to get the card-edge back together. Also make sure that you can fit the card in the slot on the side of the Drogen and that the power pin fits in the DSDS connecting socket in place. Make sure that the length of wire that you are going to use will reach large enough to be terminated, but not too long so that the termination is too far from the termination. These are important considerations but if you follow them, you will be happy.

First hand chop HCT There is a small indentation at the end of the blade. The top 2 you look at are the chop position this indicates it is in the top pen 1 is the top left pen 2 is the bottom left pen 3 is the bottom right pen 4 is the top right. In other words the pen number anti-clockwise around the chop. Count around clockwise to give 11 (the shoulder) be making pen in the right hand side. You will give a gradual vertical chop leaving the base of the pen (join pen 11). Cutting back. Be very careful not to cut back any of the other traces next to 1 (make sure it is close together for across the track and accepted it tracks the embossed on the track (then is reflected). Remember the track is only one's outside of the track, you don't have to cut in down.

Second, two three-bills holes started LK24, B-C) and then continued along LK24 A. Follow the track and you will find that it eventually ends up in LK2 C. Cut the track out outside the spherical surrounding the LK2 hole into LK2 (hole).

Third, there may be a side-link between LAG-B and C. If there is, removal of C is spurious; if a strong link between LAG-A and B.

Fourth, let's define the cost factor in your switch. It should have eight levels (legs) or two sets of four. Let's assume sets 1, 2, 3 and 4 for the other sets 4, 5, 6 according to clockwise. This also have some error to reduce.

1. Connect switch leg 1 to switch leg 4.
2. Connect switch leg 3 to switch leg 6.
3. Connect switch leg 1 to LPS-A.
4. Connect switch leg 3 to RPS per 22.
5. Connect switch leg 2 to LPS-D.
6. Disconnect switch leg 5 to RPS per 22.

Please read through those steps again and see if you did it right.

Finally, you want your alternative DGS chips to fit your instructions. For the cartridge-based, the instructions tell you to insert the cartridge and power up. Depending on which way you tell the switch, you will either get the Collins/DGS screen or your alternative DGS screen. Power off. Slide the switch to the other position, power on, and hopefully you should get the other DGS screen. The first time I tried it, I had no modifications, nothing was working. The problem was simply the fact that the switch was faulty and nothing is so difficult as modifications, but I did give the switches a moment. I had actually purchased three switches because they were cheap and in case one failed, I found that only one was reliable. Obviously if the model or you can't find your new one.

If the price of an alternative DQ5 for your Delta cartridge matches your cartridge, I will just accept DQ5. DQ5 is the only alternative DQ5 I have heard of for Delta users. It is available from me at Change Software or from (214) 380-0101.



Delta DOS cartridge layout

